## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A method for obtaining archaebacterial DNA at least one archaeal polymerase and/or at least one archaeal polymerase fragment having polymerase activity from a sample, said method comprising:

fractionating a sample comprising at least one archaebacterial DNA archaeal polymerase and/or at least one archaeal polymerase fragment having polymerase activity using Poly U Sepharose chromatography; and

obtaining <u>at least one</u> substantially pure <del>archaebacterial DNA</del> <u>archaeal</u> polymerase and/or archaeal polymerase fragment having polymerase activity.

- 2. (Currently amended) A method of claim 1 wherein the sample fractionated by Poly U Sepharose chromatography is obtained from a prior fractionation of an initial sample comprising at least one archaebacterial DNA archaeal polymerase and/or at least one archaeal polymerase fragment having polymerase activity.
- 3. (Withdrawn) A method of claim 1 wherein the sample fractionated by Poly U Sepharose chromatography is obtained from a prior chromatography of an initial sample comprising at least one DNA polymerase.
- 4. (Withdrawn) A method of claim 3 wherein the prior chromatography comprises hydrophobic chromatography.

- 5. (Withdrawn) A method of claim 3 wherein the prior chromatography comprises affinity chromatography.
- 6. (Withdrawn) A method of claim 3 wherein the prior chromatography comprises use of a matrix with heparin.
- 7. (Withdrawn) A method of claim 6 wherein the prior chromatography comprises use of Heparin Sepharose chromatography.
- 8. (Withdrawn) A method of claim 3 wherein the prior chromatography comprises use of a matrix with a dye-binding material.
- 9. (Withdrawn) A method of claim 8 wherein the prior chromatography comprises use of Blue Sepharose chromatography.
- 10. (Currently amended) The method of claim 1 wherein the <u>at least one</u> substantially pure <del>archaebacterial DNA</del> <u>archaeal</u> polymerase <u>and/or archaeal</u> <u>polymerase fragment having polymerase activity</u> is at least about 95% homogeneous.
- 11. (Currently amended) The method of claim 1 wherein the <u>at least one</u> substantially pure <u>archaebacterial DNA archaeal</u> polymerase <u>and/or archaeal</u> <u>polymerase fragment having polymerase activity</u> is at least about 85-90% homogeneous.
- 12. (Currently amended) The method of claim 1 wherein the <u>at least one</u> substantially pure <u>archaebacterial DNA archaeal</u> polymerase <u>and/or archaeal</u>

polymerase fragment having polymerase activity is at least about 75-85% homogeneous.

- 13. (Currently amended) The method of claim 1 wherein the sample comprises cells that comprise a recombinant expression vector capable of expressing an archaebacterial DNA archaeal polymerase or archaeal polymerase fragment having polymerase activity.
- 14. (Original) The method of claim 13 wherein the cells are bacterial, yeast, mammalian, or insect cells.
- 15. (Original) The method of claim 1 wherein the sample comprises archaebacterial cells.
  - 16. (Canceled)
- 17. (Currently amended) The method of claim 1 wherein the <u>at least one</u> substantially pure <del>archaebacterial DNA</del> <u>archaeal</u> polymerase <u>and/or archaeal</u> <u>polymerase fragment having polymerase activity</u> is *Pfu* DNA polymerase I <u>and/or a</u> fragment thereof having polymerase activity.
- 18. (Currently amended) The method of claim 1 wherein the <u>at least one</u> substantially pure <del>archaebacterial DNA</del> <u>archaeal</u> polymerase <u>and/or archaeal</u> <u>polymerase fragment having polymerase activity</u> is *Pfu* DNA polymerase II <u>and/or a fragment thereof having polymerase activity</u>.

- 19. (Withdrawn) A method for obtaining substantially pure DNA polymerase comprising:
  - (a) obtaining a sample comprising at least one DNA polymerase;
  - (b) fractionating the sample using hydrophobic chromatography;
  - (c) fractionating the product of (b) using Heparin Sepharose chromatography;
    - (d) fractionating the product of (c) using Blue Sepharose chromatography;
  - (e) fractionating the product of (c) Using Poly U Sepharose chromatography; and
    - (f) obtaining substantially pure DNA polymerase.
- 20. (Withdrawn) A composition of matter comprising a substantially pure DNA polymerase obtained from the method of claim 1 or 19.
- 21. (Withdrawn) The composition of claim 20 wherein the DNA polymerase is an archaebacterial DNA polymerase.
- 22. (Withdrawn) The composition of claim 20 wherein the DNA polymerase is *Pfu* DNA polymerase I.
- 23. (Withdrawn) The composition of claim 20 wherein the DNA polymerase is *Pfu* DNA polymerase II.

- 24. (Withdrawn) A kit for obtaining substantially pure DNA polymerase comprising poly U chromatography resin.
- 25. (Withdrawn) The kit of claim 24 wherein the DNA polymerase is an archaebacterial DNA polymerase.
- 26. (Withdrawn) The kit of claim 24 wherein the DNA polymerase is *Pfu* DNA polymerase.